Prevent Protect Promote Prevent Protect Promote Prevent Feat Protect Promote Prevent Protect Protect Promote Prevent Protect Promote Prevent Protect Promote Prevent Protect P

HIV/AIDS

UTAH - 2007



George A. Usher, MPA - Program Manager

Leslie A. Clark – Information Analyst

Utah Department of Health • Bureau of Communicable Disease Control • HIV/AIDS Surveillance Program

Epidemiology January - December 2007

- New AIDS cases: 66
 - 22% increase from December 2006 (54)
- New HIV cases: 91
 - 12% decrease from December 2006 (103)



Epidemiology: Incidence

January- December 2007

- Of the 157 persons with HIV/AIDS:
 - 82% are male (129)
 - 18% are female (28)
 - -49% were between the ages of 20-39 (77)
 - -46% were between the ages of 40-59 (73)



Incidence and Exposure: Men

January - December 2007

- Most common:
 - Men who have sex with men (60%)
- Second most common:
 - Men who have sex with men and inject drugs (16%)

*Sixteen percent of men did not disclose risk.



Incidence and Exposure: Women January - December 2007

- Most commonly reported:
 - Heterosexual contact (29%)
- Second most common reported:
 - Injecting drug use (21%)

*Fifty percent of women did not disclose risk.



Incidence: Reporting Sources January – December 2007


• Of these 91 persons testing HIV positive during 2007:

- 46% were reported through counseling and testing sites
- 31% were reported through laboratory reports
- 12% were reported through physician office visits
- 11% were reported through other sources



Incidence: by Residence at Diagnosis

January - December 2007



- 91% of 2007 cases live along the Wasatch Front
- 74% of 2007 cases live in Salt Lake County
- The majority of those living in rural areas, come to Salt Lake City for medical treatment.



Incidence: Gender/Ethnicity

January - December 2007

Race/Ethnicity	Male	Female
White	67%	60%
Hispanic	20%	11%
Black	8%	29%
Asian/Pacific Islander	1%	0%
Native American	3%	0%
Unknown	1%	0%
Total	100%	100%

Ethnic minorities comprise 17% of Utah's Population but equal 34% of those newly diagnosed with HIV or AIDS in 2007



Epidemiology: Cumulative December 2007


AIDS cases: 2,338

HIV (non-AIDS): 946



Utah HIV/AIDS Cases

Through December 2007 by year of Report






Cumulative by Demographic

December 2007

	AIDS	HIV
Gender	Male (89%)	Male (82%)
	Female (11%)	Female (18%)
Age	30-39 (45%)	20-29 (38%)
	40-49 (26%)	30-39 (36%)
Race	White (78%)	White (70%)
	Hispanic (13%)	Hispanic (17%)
	Black (7%)	Black (11%)
Exposure	MSM (62%)	MSM (55%)
1	IDU (16%)	MSM/IDU (12%)
	MSM/IDU (10%)	IDU (11%)
	Hetero (6%)	Hetero (9%)



Immerging Trends: Among Males by Risk December 2007




Cumulative = 2,868 cases, 2006 = 125 cases, 2007= 129 cases

Percentages may not equal 100 due to rounding

*Other includes hemophilia, transfusion/transplant and mother with HIV/AIDS risk



Immerging Trends: Among Females by Risk December 2007



Cumulative = 416 cases, 2006 = 26 cases, 2007 = 28 cases


Percentages may not equal 100 due to rounding

*Other includes transfusion/transplant and mother with HIV/AIDS risk



HIV/AIDS Among Black Persons by Country of Origin

December 2007




Cumulative = 268 cases, 2006 = 14 cases, 2007 = 16 Percentages may not equal 100 due to rounding

* Other includes Brazil, Canada, Germany, and Haiti



HIV/AIDS Among Hispanic Persons by Country of Origin

December 2007



Cumulative = 461 cases, 2006 = 35 cases, 2007 = 26 cases

Percentages may not equal 100 due to rounding

*Other includes Cambodia, Cuba, Dominican Republic, Kenya, and Spain



Prevent Protect Promote Prevent Protect Promote Prevent Feat Protect Promote Prevent Protect Promote Prevent Protect Promote Prevent Protect

THE END

